




3V TB SHEAVES



3V-1


M=1 1/16" (17.46mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
1 3V 265 TB	2.65	2.60	1 1/8	1108	C-1	-	3/16	7/8	-
1 3V 280 TB	2.80	2.75	1 1/8	1108	C-1	-	3/16	7/8	-
1 3V 300 TB	3.00	2.95	1 1/8	1108	C-1	-	3/16	7/8	-
1 3V 315 TB	3.15	3.10	1 1/8	1108	C-1	-	3/16	7/8	-
1 3V 335 TB	3.35	3.30	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 365 TB	3.65	3.60	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 412 TB	4.12	4.07	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 450 TB	4.50	4.45	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 475 TB	4.75	4.70	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 500 TB	5.00	4.95	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 530 TB	5.30	5.25	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 560 TB	5.60	5.55	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 600 TB	6.00	5.95	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 650 TB	6.50	6.45	1 5/8	1610	B-1	3 5/16	-	1	5/16
1 3V 690 TB	6.90	6.85	1 5/8	1610	B-2	3 5/16	-	1	5/16
1 3V 800 TB	8.00	7.95	2 1/2	2517	B-2	4 3/4	-	1 3/4	1 1/16
1 3V 1060 TB	10.60	10.55	2 1/2	2517	B-2	4 3/4	-	1 3/4	1 1/16
1 3V 1400 TB	14.00	13.95	2 1/2	2517	B-3	4 3/4	-	1 3/4	15/16
1 3V 1900 TB	19.00	18.95	3	3020	B-3	5 11/16	-	2	1 3/16

*M=11/16" thru 1 3V 1400 TB, F=13/16" thru 1 3V 1400 TB and 1 3V 1900 TB



3V TB SHEAVES




3V-2

M=1 3/32" (27.78mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
2 3V 265 TB	2.65	2.60	1 1/8	1108	A-1	-	7/32	7/8	-
2 3V 280 TB	2.8	2.75	1 1/8	1108	A-1	-	7/32	7/8	-
2 3V 300 TB	3	2.95	1 1/4	1210	A-1	-	3/32	1	-
2 3V 315 TB	3.15	3.10	1 1/4	1210	A-1	-	3/32	1	-
2 3V 335 TB	3.35	3.30	1 5/8	1610	A-1	-	3/32	1	-
2 3V 365 TB	3.65	3.60	1 5/8	1610	A-1	-	3/32	1	-
2 3V 412 TB	4.12	4.07	1 5/8	1610	A-1	-	3/32	1	-
2 3V 450 TB	4.5	4.45	1 5/8	1610	A-1	-	3/32	1	-
2 3V 475 TB	4.75	4.70	1 5/8	1610	A-1	-	3/32	1	-
2 3V 500 TB	5	4.95	1 5/8	1610	A-1	-	3/32	1	-
2 3V 530 TB	5.3	5.25	1 5/8	1610	A-1	-	3/32	1	-
2 3V 560 TB	5.6	5.55	1 5/8	1610	A-1	-	3/32	1	-
2 3V 600 TB	6	5.95	1 5/8	1610	A-1	-	3/32	1	-
2 3V 650 TB	6.5	6.45	1 5/8	1610	A-1	-	3/32	1	-
2 3V 690 TB	6.9	6.85	1 5/8	1610	A-2	3 5/16	3/32	1	-
2 3V 800 TB	8	7.95	2 1/2	2517	B-2	4 3/4	-	1 3/4	21/32
2 3V 1060 TB	10.6	10.55	2 1/2	2517	B-2	4 3/4	-	1 3/4	21/32
2 3V 1400 TB	14	13.95	2 1/2	2517	B-3	4 3/4	-	1 3/4	21/32
2 3V 1900 TB	19	18.95	3	3020	B-3	5 11/16	-	2	29/32
2 3V 2500 TB	25	24.95	3	3020	C-3	5 11/16	1/8	2	29/32



3V TB SHEAVES




3V-3

M=1 1/2" (38.10mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
3 3V 265 TB	2.65	2.60	1 1/8	1108	A-1	-	5/8	7/8	-
3 3V 280 TB	2.8	2.75	1 1/8	1108	A-1	-	5/8	7/8	-
3 3V 300 TB	3	2.95	1 1/4	1210	A-1	-	1/2	1	-
3 3V 315 TB	3.15	3.10	1 1/4	1210	A-1	-	1/2	1	-
3 3V 335 TB	3.35	3.30	1 5/8	1610	A-1	-	1/2	1	-
3 3V 365 TB	3.65	3.60	1 5/8	1610	A-1	-	1/2	1	-
3 3V 412 TB	4.12	4.07	1 5/8	1610	A-1	-	1/2	1	-
3 3V 450 TB	4.5	4.45	1 5/8	1610	A-1	-	1/2	1	-
3 3V 475 TB	4.75	4.70	1 5/8	1610	A-1	-	1/2	1	-
3 3V 500 TB	5	4.95	1 5/8	1610	A-1	-	1/2	1	-
3 3V 530 TB	5.3	5.25	1 5/8	1610	A-1	-	1/2	1	-
3 3V 560 TB	5.6	5.55	1 5/8	1610	A-1	-	1/2	1	-
3 3V 600 TB	6	5.95	2 1/2	2517	B-1	4 3/4	-	1 3/4	1/4
3 3V 650 TB	6.5	6.45	2 1/2	2517	B-1	4 3/4	-	1 3/4	1/4
3 3V 690 TB	6.9	6.85	2 1/2	2517	B-1	4 3/4	-	1 3/4	1/4
3 3V 800 TB	8	7.95	2 1/2	2517	B-2	4 3/4	-	1 3/4	1/4
3 3V 1060 TB	10.6	10.55	2 1/2	2517	B-2	4 3/4	-	1 3/4	1/4
3 3V 1400 TB	14	13.95	2 1/2	2517	B-3	4 3/4	-	1 3/4	1/4
3 3V 1900 TB	19	18.95	3	3020	B-3	5 11/16	-	2	1/2
3 3V 2500 TB	25	24.95	3	3020	B-3	5 11/16	-	2	1/2
3 3V 3350 TB	33.5	33.45	3	3020	C-3	5 11/16	1/4	2	1/4



3V TB SHEAVES




3V-4

M=1 29/32" (48.42mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
4 3V 265 TB	2.65	2.60	1 1/8	1108	A-1	-	1 1/32	7/8	-
4 3V 280 TB	2.80	2.75	1 1/8	1108	A-1	-	1 1/32	7/8	-
4 3V 300 TB	3.00	2.95	1 1/4	1210	A-1	-	29/32	1	-
4 3V 315 TB	3.15	3.10	1 1/4	1210	A-1	-	29/32	1	-
4 3V 335 TB	3.35	3.30	1 5/8	1610	A-1	-	29/32	1	-
4 3V 365 TB	3.65	3.60	1 5/8	1610	A-1	-	29/32	1	-
4 3V 412 TB	4.12	4.07	1 5/8	1610	A-1	-	29/32	1	-
4 3V 450 TB	4.50	4.45	1 5/8	1610	A-1	-	29/32	1	-
4 3V 475 TB	4.75	4.70	1 5/8	1610	A-1	-	29/32	1	-
4 3V 500 TB	5.00	4.95	1 5/8	1610	A-1	-	29/32	1	-
4 3V 530 TB	5.30	5.25	1 5/8	1610	A-1	-	29/32	1	-
4 3V 560 TB	5.60	5.55	1 5/8	1610	A-1	-	29/32	1	-
4 3V 600 TB	6.00	5.95	2 1/2	2517	A-1	-	5/32	1 3/4	-
4 3V 650 TB	6.50	6.45	2 1/2	2517	A-1	-	5/32	1 3/4	-
4 3V 690 TB	6.90	6.85	2 1/2	2517	A-1	-	5/32	1 3/4	-
4 3V 800 TB	8.00	7.95	2 1/2	2517	A-2	4 3/4	5/32	1 3/4	-
4 3V 1060 TB	10.60	10.55	2 1/2	2517	A-2	4 3/4	5/32	1 3/4	-
4 3V 1400 TB	14.00	13.95	2 1/2	2517	A-3	4 3/4	-	1 3/4	5/32
4 3V 1900 TB	19.00	18.95	3	3020	B-3	5 11/16	-	2	3/32
4 3V 2500 TB	25.00	24.95	3	3020	B-3	5 11/16	-	2	3/32
4 3V 3350 TB	33.50	33.45	3	3030	C-3	5 11/16	35/64	3	35/64



3V TB SHEAVES



3V-5

M=2 5/16" (58.74mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
5 3V 475 TB	4.75	4.70	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 500 TB	5.00	4.95	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 530 TB	5.30	5.25	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 560 TB	5.60	5.55	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 600 TB	6.00	5.95	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 650 TB	6.50	6.45	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 690 TB	6.90	6.85	2 1/2	2517	A-1	-	9/16	1 3/4	-
5 3V 800 TB	8.00	7.95	2 1/2	2517	A-2	4 3/4	9/16	1 3/4	-
5 3V 1060 TB	10.60	10.55	2 1/2	2517	A-2	4 3/4	9/16	1 3/4	-
5 3V 1400 TB	14.00	13.95	2 1/2	2517	A-3	4 3/4	-	1 3/4	9/16
5 3V 1900 TB	19.00	18.95	3	3030	B-3	5 11/16	-	3	11/16
5 3V 2500 TB	25.00	24.95	3	3030	B-3	5 11/16	-	3	11/16
5 3V 3350 TB	33.50	33.45	3	3030	C-3	5 11/16	11/32	3	11/32


3V-6

M=2 23/32" (69.06mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
6 3V 475 TB	4.75	4.70	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 500 TB	5.00	4.95	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 530 TB	5.30	5.25	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 560 TB	5.60	5.55	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 600 TB	6.00	5.95	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 650 TB	6.50	6.45	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 690 TB	6.90	6.85	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 800 TB	8.00	7.95	2 1/2	2517	A-1	-	31/32	1 3/4	-
6 3V 1060 TB	10.60	10.55	2 1/2	2517	A-2	4 3/4	31/32	1 3/4	-
6 3V 1400 TB	14.00	13.95	2 1/2	2517	A-3	4 3/4	-	1 3/4	31/32
6 3V 1900 TB	19.00	18.95	3	3030	B-3	5 11/16	-	3	9/32
6 3V 2500 TB	25.00	24.95	3	3030	B-3	5 11/16	-	3	9/32
6 3V 3350 TB	33.50	33.45	3	3030	C-3	5 11/16	9/64	3	9/64



3V TB SHEAVES



3V-8

M=3 17/32" (89.70mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
8 3V 475 TB	4.75	4.70	2 1/2	2517	A-1	-	1 25/32	1 3/4	-
8 3V 500 TB	5.00	4.95	2 1/2	2517	A-1	-	1 25/32	1 3/4	-
8 3V 530 TB	5.30	5.25	2 1/2	2517	A-1	-	1 1/32	1 3/4	3/4
8 3V 560 TB	5.60	5.55	2 1/2	2517	A-1	-	1/4	1 3/4	1 17/32
8 3V 600 TB	6.00	5.95	2 1/2	2517	A-1	-	1/4	1 3/4	1 17/32
8 3V 650 TB	6.50	6.45	2 1/2	2517	A-1	-	1/4	1 3/4	1 17/32
8 3V 690 TB	6.90	6.85	2 1/2	2517	A-1	-	1/4	1 3/4	1 17/32
8 3V 800 TB	8.00	7.95	3	3020	A-1	-	1/2	2	1 1/32
8 3V 1060 TB	10.60	10.55	3	3020	A-2	5 11/16	1/2	2	1 1/32
8 3V 1400 TB	14.00	13.95	3	3020	A-3	5 11/16	21/32	2	7/8
8 3V 1900 TB	19.00	18.95	3 15/16	3535	A-3	6 1/2	-	3 1/2	1/32
8 3V 2500 TB	25.00	24.95	3 15/16	3535	A-3	6 1/2	-	3 1/2	1/32
8 3V 3350 TB	33.50	33.45	4 7/16	4040	C-3	7 3/16	15/64	4	15/64

3V-10

M=4 11/32" (110.33mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension			
						Di	F	D	C
10 3V 475 TB	4.75	4.70	2 1/2	2517	A-1	-	2 19/32	1 3/4	-
10 3V 500 TB	5.00	4.95	2 1/2	2517	A-1	-	2 19/32	1 3/4	-
10 3V 530 TB	5.30	5.25	2 1/2	2517	A-1	-	1 27/32	1 3/4	3/4
10 3V 560 TB	5.60	5.55	2 1/2	2517	A-1	-	1/2	1 3/4	2 3/32
10 3V 600 TB	6.00	5.95	2 1/2	2517	A-1	-	1/2	1 3/4	2 3/32
10 3V 650 TB	6.50	6.45	2 1/2	2517	A-1	-	1/2	1 3/4	2 3/32
10 3V 690 TB	6.90	6.85	2 1/2	2517	A-1	-	1/2	1 3/4	2 3/32
10 3V 800 TB	8.00	7.95	3	3020	A-1	-	27/32	2	1 1/2
10 3V 1060 TB	10.60	10.55	3	3020	A-2	5 11/16	27/32	2	1 1/2
10 3V 1400 TB	14.00	13.95	3 15/16	3535	A-2	6 1/2	-	3 1/2	27/32
10 3V 1900 TB	19.00	18.95	3 15/16	3535	A-3	6 1/2	-	3 1/2	27/32
10 3V 2500 TB	25.00	24.95	4 7/16	4040	A-3	7 3/16	-	4	11/32
10 3V 3350 TB	33.50	33.45	4 7/16	4040	C-3	7 3/16	11/64	4	11/64