




5V QD SHEAVES




5V-2

M=1 11/16" (42.86mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
2 5V 440 SH	4.40	4.30	1 11/16	SH	A-1	-	5/16	7/8	1 5/16	1/16
2 5V 465 SDS	4.65	4.55	2	SDS	E-1	-	15/16	-	1 3/8	5/8
2 5V 490 SDS	4.90	4.80	2	SDS	A-1	-	1/16	11/16	1 3/8	1/4
2 5V 520 SDS	5.20	5.10	2	SDS	A-1	-	1/16	11/16	1 3/8	1/4
2 5V 550 SDS	5.50	5.40	2	SDS	A-1	-	1/16	11/16	1 3/8	1/4
2 5V 590 SDS	5.90	5.80	2	SDS	A-1	-	1/16	11/16	1 3/8	1/4
2 5V 630 SK	6.30	6.20	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 670 SK	6.70	6.60	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 710 SK	7.10	7.00	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 750 SK	7.50	7.40	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 800 SK	8.00	7.90	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 850 SK	8.50	8.40	2 5/8	SK	C-1	-	1/4	7/16	1 15/16	-
2 5V 900 SK	9.00	8.90	2 5/8	SK	C-2	4 3/8	1/4	7/16	1 15/16	-
2 5V 925 SK	9.25	9.15	2 5/8	SK	C-2	4 3/8	1/4	7/16	1 15/16	-
2 5V 975 SK	9.75	9.65	2 5/8	SK	C-3	4 3/8	1/4	7/16	1 15/16	-
2 5V 1030 SK	10.30	10.20	2 5/8	SK	C-3	4 3/8	1/4	7/16	1 15/16	-
2 5V 1090 SK	10.90	10.80	2 5/8	SK	C-3	4 3/8	1/4	7/16	1 15/16	-
2 5V 1130 SK	11.30	11.20	2 5/8	SK	C-3	4 3/8	1/4	7/16	1 15/16	-
2 5V 1180 SK	11.80	11.70	2 5/8	SK	C-3	4 3/8	1/4	7/16	1 15/16	-
2 5V 1250 SF	12.50	12.40	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 1320 SF	13.20	13.10	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 1400 SF	14.00	13.90	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 1500 SF	15.00	14.90	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 1600 SF	16.00	15.90	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 1870 SF	18.70	18.60	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 2120 SF	21.20	21.10	2 15/16	SF	C-3	5	1/4	7/16	2 1/16	1/8
2 5V 2360 E	23.60	23.50	3 1/2	E	C-3	6 1/4	5/8	1/4	2 5/8	5/16
2 5V 2800 E	28.00	27.90	3 1/2	E	C-3	6 1/4	5/8	1/4	2 5/8	5/16



5V QD SHEAVES




5V-3

M=2 3/8" (60.33mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
3 5V 440 SDS	4.40	4.30	2	SDS	E-1	3 1/2	1 5/8	-	1 3/8	5/8
3 5V 465 SDS	4.65	4.55	2	SDS	E-1	3 1/2	1 5/8	-	1 3/8	5/8
3 5V 490 SDS	4.90	4.80	2	SDS	A-1	-	7/16	1 1/16	1 3/8	9/16
3 5V 520 SDS	5.20	5.10	2	SDS	A-1	-	7/16	1 1/16	1 3/8	9/16
3 5V 550 SDS	5.50	5.40	2	SDS	A-1	-	7/16	1 1/16	1 3/8	9/16
3 5V 590 SDS	5.90	5.80	2	SDS	A-1	-	7/16	1 1/16	1 3/8	9/16
3 5V 630 SK	6.30	6.20	2 5/8	SK	A-1	-	3/8	1 1/16	1 15/16	1/16
3 5V 670 SK	6.70	6.60	2 5/8	SK	A-1	-	3/8	1 1/16	1 15/16	1/16
3 5V 710 SF	7.10	7.00	2 15/16	SF	A-1	-	5/16	1	2 1/16	-
3 5V 750 SF	7.50	7.40	2 15/16	SF	A-1	-	5/16	1	2 1/16	-
3 5V 800 SF	8.00	7.90	2 15/16	SF	A-1	-	5/16	1	2 1/16	-
3 5V 850 SF	8.50	8.40	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 900 SF	9.00	8.90	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 925 SF	9.25	9.15	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 975 SF	9.75	9.65	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 1030 SF	10.30	10.20	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 1090 SF	10.90	10.80	2 15/16	SF	A-2	5	5/16	1	2 1/16	-
3 5V 1130 SF	11.30	11.20	2 15/16	SF	A-3	5	5/16	1	2 1/16	-
3 5V 1180 SF	11.80	11.70	2 15/16	SF	A-3	5	5/16	1	2 1/16	-
3 5V 1250 E	12.50	12.40	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 1320 E	13.20	13.10	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 1400 E	14.00	13.90	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 1500 E	15.00	14.90	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 1600 E	16.00	15.90	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 1870 E	18.70	18.60	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 2120 E	21.20	21.10	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 2360 E	23.60	23.50	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 2800 E	28.00	27.90	3 1/2	E	C-3	6 1/4	1/8	3/4	2 5/8	1/8
3 5V 3150 F	31.50	31.40	3 15/16	F	C-3	7	7/16	9/16	3 5/8	13/16
3 5V 3750 F	37.50	37.40	3 15/16	F	C-3	7	7/16	9/16	3 5/8	13/16
3 5V 5000 F	50.00	49.90	3 15/16	F	C-3	7	7/16	9/16	3 5/8	13/16



5V QD SHEAVES




5V-4

M=3 1/16" (77.79mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
4 5V 440 SD	4.40	4.30	2	SD	E-1	3 1/2	1 7/8	-	1 13/16	5/8
4 5V 465 SD	4.65	4.55	2	SD	E-1	3 1/2	1 7/8	-	1 13/16	5/8
4 5V 490 SD	4.90	4.80	2	SD	A-1	-	11/16	1 5/16	1 13/16	9/16
4 5V 520 SD	5.20	5.10	2	SD	A-1	-	11/16	1 5/16	1 13/16	9/16
4 5V 550 SD	5.50	5.40	2	SD	A-1	-	11/16	1 5/16	1 13/16	9/16
4 5V 590 SD	5.90	5.80	2	SD	A-1	-	11/16	1 5/16	1 13/16	9/16
4 5V 630 SK	6.30	6.20	2 5/8	SK	A-1	-	5/8	1 5/16	1 15/16	1/2
4 5V 670 SK	6.70	6.60	2 5/8	SK	A-1	-	5/8	1 5/16	1 15/16	1/2
4 5V 710 SF	7.10	7.00	2 15/16	SF	A-1	-	3/8	1 1/16	2 1/16	5/8
4 5V 750 SF	7.50	7.40	2 15/16	SF	A-1	-	3/8	1 1/16	2 1/16	5/8
4 5V 800 E	8.00	7.90	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 850 E	8.50	8.40	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 900 E	9.00	8.90	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 925 E	9.25	9.15	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 975 E	9.75	9.65	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 1030 E	10.30	10.20	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 1090 E	10.90	10.80	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 1130 E	11.30	11.20	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 1180 E	11.80	11.70	3 1/2	E	B-1	-	9/16	1 7/16	2 5/8	1/8
4 5V 1250 E	12.50	12.40	3 1/2	E	B-3	6 1/4	9/16	1 7/16	2 5/8	1/8
4 5V 1320 E	13.20	13.10	3 1/2	E	B-3	6 1/4	9/16	1 7/16	2 5/8	1/8
4 5V 1400 E	14.00	13.90	3 1/2	E	B-3	6 1/4	9/16	1 7/16	2 5/8	1/8
4 5V 1500 E	15.00	14.90	3 1/2	E	B-3	6 1/4	9/16	1 7/16	2 5/8	1/8
4 5V 1600 E	16.00	15.90	3 1/2	E	B-3	6 1/4	9/16	1 7/16	2 5/8	1/8
4 5V 1870 E	18.70	18.60	3 1/2	E	A-3	6 1/4	3/8	1 1/4	2 5/8	1/16
4 5V 2120 E	21.20	21.10	3 1/2	E	A-3	6 1/4	3/8	1 1/4	2 5/8	1/16
4 5V 2360 F	23.60	23.50	3 15/16	F	C-3	7	1/8	7/8	3 5/8	7/16
4 5V 2800 F	28.00	27.90	3 15/16	F	C-3	7	1/8	7/8	3 5/8	7/16
4 5V 3150 F	31.50	31.40	3 15/16	F	C-3	7	1/8	7/8	3 5/8	7/16
4 5V 3750 F	37.50	37.40	3 15/16	F	C-3	7	1/8	7/8	3 5/8	7/16
4 5V 5000 J	50.00	49.90	4 1/2	J	C-3	7 3/4	1/2	11/16	4 1/2	15/16



5V QD SHEAVES




5V-5

M=3 3/4" (95.25mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
5 5V 440 SD	4.40	4.30	2	SD	E-1	3 1/2	2 9/16	-	1 13/16	5/8
5 5V 465 SD	4.65	4.55	2	SD	E-1	3 1/2	2 9/16	-	1 13/16	5/8
5 5V 490 SD	4.90	4.80	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 1/4
5 5V 520 SD	5.20	5.10	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 1/4
5 5V 550 SD	5.50	5.40	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 1/4
5 5V 590 SD	5.90	5.80	2	SD	A-1	-	5/8	1 5/16	1 15/16	1 3/16
5 5V 630 SK	6.30	6.20	2 5/8	SK	A-1	-	5/8	1 5/16	1 15/16	1 3/16
5 5V 670 SK	6.70	6.60	2 5/8	SK	A-1	-	5/8	1 5/16	2 1/16	1 1/16
5 5V 710 SF	7.10	7.00	2 15/16	SF	A-1	-	11/16	1 3/8	2 1/16	1
5 5V 750 SF	7.50	7.40	2 15/16	SF	A-1	-	11/16	1 3/8	2 1/16	1
5 5V 800 E	8.00	7.90	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 850 E	8.50	8.40	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 900 E	9.00	8.90	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 925 E	9.25	9.15	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 975 E	9.75	9.65	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 1030 E	10.30	10.20	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 1090 E	10.90	10.80	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 1130 E	11.30	11.20	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 1180 E	11.80	11.70	3 1/2	E	A-1	-	7/8	1 3/4	2 5/8	1/4
5 5V 1250 E	12.50	12.40	3 1/2	E	A-3	6 1/4	7/8	1 3/4	2 5/8	1/4
5 5V 1320 E	13.20	13.10	3 1/2	E	A-3	6 1/4	7/8	1 3/4	2 5/8	1/4
5 5V 1400 E	14.00	13.90	3 1/2	E	A-3	6 1/4	7/8	1 3/4	2 5/8	1/4
5 5V 1500 E	15.00	14.90	3 1/2	E	A-3	6 1/4	7/8	1 3/4	2 5/8	1/4
5 5V 1600 E	16.00	15.90	3 1/2	E	A-3	6 1/4	7/8	1 3/4	2 5/8	1/4
5 5V 1870 E	18.70	18.60	3 1/2	E	B-3	7	5/16	1 5/16	3 5/8	3/16
5 5V 2120 E	21.20	21.10	3 1/2	E	B-3	7	5/16	1 5/16	3 5/8	3/16
5 5V 2360 F	23.60	23.50	3 15/16	F	B-3	7	5/16	1 5/16	3 5/8	3/16
5 5V 2800 F	28.00	27.90	3 15/16	F	B-3	7	5/16	1 5/16	3 5/8	3/16
5 5V 3150 J	31.50	31.40	3 15/16	F	C-3	7 3/4	3/16	1	4 1/2	9/16
5 5V 3750 J	37.50	37.40	3 15/16	F	C-3	7 3/4	3/16	1	4 1/2	9/16
5 5V 5000 J	50.00	49.90	4 1/2	J	C-3	7 3/4	3/16	1	4 1/2	9/16



5V QD SHEAVES




5V-6

M=4 7/16" (112.71mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
6 5V 440 SD	4.40	4.30	2	SD	E-1	3 1/2	3 1/4	-	1 13/16	5/8
6 5V 465 SD	4.65	4.55	2	SD	E-1	3 1/2	3 1/4	-	1 13/16	5/8
6 5V 490 SD	4.90	4.80	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 15/16
6 5V 520 SD	5.20	5.10	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 15/16
6 5V 550 SD	5.50	5.40	2	SD	A-1	-	11/16	1 5/16	1 13/16	1 15/16
6 5V 590 SK	5.90	5.80	2 5/8	SK	A-1	-	5/8	1 5/16	1 15/16	1 7/8
6 5V 630 SK	6.30	6.20	2 5/8	SK	A-1	-	5/8	1 5/16	1 15/16	1 7/8
6 5V 670 SF	6.70	6.60	2 15/16	SF	A-1	-	15/16	1 5/8	2 1/16	1 7/16
6 5V 710 SF	7.10	7.00	2 15/16	SF	A-1	-	15/16	1 5/8	2 1/16	1 7/16
6 5V 750 SF	7.50	7.40	2 15/16	SF	A-1	-	15/16	1 5/8	2 1/16	1 7/16
6 5V 800 E	8.00	7.90	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 850 E	8.50	8.40	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 900 E	9.00	8.90	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 925 E	9.25	9.15	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 975 E	9.75	9.65	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 1030 E	10.30	10.20	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 1090 E	10.90	10.80	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 1130 E	11.30	11.20	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 1180 E	11.80	11.70	3 1/2	E	A-1	-	1 1/8	2	2 5/8	11/16
6 5V 1250 F	12.50	12.40	3 15/16	F	B-3	7	1 1/16	2 1/16	3 5/8	1/4
6 5V 1320 F	13.20	13.10	3 15/16	F	B-3	7	1 1/16	2 1/16	3 5/8	1/4
6 5V 1400 F	14.00	13.90	3 15/16	F	B-3	7	1 1/16	2 1/16	3 5/8	1/4
6 5V 1500 F	15.00	14.90	3 15/16	F	B-3	7	1 1/16	2 1/16	3 5/8	1/4
6 5V 1600 F	16.00	15.90	3 15/16	F	B-3	7	1 1/16	2 1/16	3 5/8	1/4
6 5V 1870 F	18.70	18.60	3 15/16	F	A-3	7	5/16	1 5/16	3 5/8	1/2
6 5V 2120 F	21.20	21.10	3 15/16	F	A-3	7	5/16	1 5/16	3 5/8	1/2
6 5V 2360 J	23.60	23.50	4 1/2	J	B-3	7 3/4	1/8	1 5/16	4 1/2	3/16
6 5V 2800 J	28.00	27.90	4 1/2	J	B-3	7 3/4	1/8	1 5/16	4 1/2	3/16
6 5V 3150 J	31.50	31.40	4 1/2	J	B-3	7 3/4	1/8	1 5/16	4 1/2	3/16
6 5V 3750 J	37.50	37.40	4 1/2	J	B-3	7 3/4	1/8	1 5/16	4 1/2	3/16
6 5V 5000 M	50.00	49.90	5 1/2	M	C-3	9 1/2	1/8	1/2	6 3/4	1 3/8



5V QD SHEAVES




5V-8

M=5 13/16" (147.64mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
8 5V 710 SF	7.10	7.00	2 15/16	SF	A-1	-	1 7/16	2 1/8	2 1/16	2 5/16
8 5V 750 SF	7.50	7.40	2 15/16	SF	A-1	-	1 7/16	2 1/8	2 1/16	2 5/16
8 5V 800 E	8.00	7.90	3 1/2	E	A-1	-	1 5/8	2 1/2	2 5/8	1 9/16
8 5V 850 E	8.50	8.40	3 1/2	E	A-1	-	1 5/8	2 1/2	2 5/8	1 9/16
8 5V 900 E	9.00	8.90	3 1/2	E	A-1	-	1 5/8	2 1/2	2 5/8	1 9/16
8 5V 925 F	9.25	9.15	3 1/2	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 975 F	9.75	9.65	3 15/16	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 1030 F	10.30	10.20	3 15/16	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 1090 F	10.90	10.80	3 15/16	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 1130 F	11.30	11.20	3 15/16	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 1180 F	11.80	11.70	3 15/16	F	A-1	-	1 9/16	2 9/16	3 5/8	5/8
8 5V 1250 F	12.50	12.40	3 15/16	F	A-3	7	1 9/16	2 9/16	3 5/8	5/8
8 5V 1320 F	13.20	13.10	3 15/16	F	A-3	7	1 9/16	2 9/16	3 5/8	5/8
8 5V 1400 F	14.00	13.90	3 15/16	F	A-3	7	1 9/16	2 9/16	3 5/8	5/8
8 5V 1500 F	15.00	14.90	3 15/16	F	A-3	7	1 9/16	2 9/16	3 5/8	5/8
8 5V 1600 F	16.00	15.90	3 15/16	F	A-3	7	1 9/16	1 9/16	3 5/8	5/8
8 5V 1870 J	18.70	18.60	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	15/16
8 5V 2120 J	21.20	21.10	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	15/16
8 5V 2360 J	23.60	23.50	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	15/16
8 5V 2800 J	28.00	27.90	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	15/16
8 5V 3150 M	31.50	31.40	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1 7/16
8 5V 3750 M	37.50	37.40	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1 7/16
8 5V 5000 M	50.00	49.90	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1 7/16



5V QD SHEAVES



5V-10

M=7 3/16" (182.56mm)

SIZE 规格	De 外径	Dp 节径	Bush Max Bore 最大孔径	Bush	Form 型号	Dimension				
						Di	F	B	D	C
10 5V 800 E	8.00	7.90	3 1/2	E	A-1	-	2 3/8	3 1/4	2 5/8	2 3/16
10 5V 850 E	8.50	8.40	3 1/2	E	A-1	-	2 3/8	3 1/4	2 5/8	2 3/16
10 5V 900 F	9.00	8.90	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 925 F	9.25	9.15	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 975 F	9.75	9.65	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 1030 F	10.30	10.20	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 1090 F	10.90	10.80	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 1130 F	11.30	11.20	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 1180 F	11.80	11.70	3 15/16	F	A-1	-	2 5/16	3 5/16	3 5/8	1 1/4
10 5V 1250 J	12.50	12.40	4 1/2	J	A-1	-	2 3/8	3 9/16	4 1/2	5/16
10 5V 1320 J	13.20	13.10	4 1/2	J	A-1	-	2 3/8	3 9/16	4 1/2	5/16
10 5V 1400 F	14.00	13.90	4 1/2	J	A-2	7 3/4	2 3/8	3 9/16	4 1/2	5/16
10 5V 1500 J	15.00	14.90	4 1/2	J	A-2	7 3/4	2 3/8	3 9/16	4 1/2	5/16
10 5V 1600 J	16.00	15.90	4 1/2	J	A-2	-	2 3/8	3 9/16	4 1/2	5/16
10 5V 1870 J	18.70	18.60	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	2 3/16
10 5V 2120 J	21.20	21.10	4 1/2	J	A-3	7 3/4	3/8	1 9/16	4 1/2	2 3/16
10 5V 2360 M	23.60	23.50	4 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1/16
10 5V 2800 M	28.00	27.90	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1/16
10 5V 3150 M	31.50	31.40	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1/16
10 5V 3750 M	37.50	37.40	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1/16
10 5V 5000 M	50.00	49.90	5 1/2	M	B-3	9 1/2	1/2	1 15/16	6 3/4	1/16