




| Manufacturer | Model             | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-------------------|------------|-----------|-----------|-------|
| A.X.I        | FR300AA           | 4510       | 300       | 55        | 82    |
| AICHI        | FR 300            | 4510       | 300       | 55        | 82    |
| AICHI        | RV041, 1-type     | 3744       | 230       | 72        | 42    |
| AIRMAN       | AX 30             | 4400       | 300       | 55        | 80    |
| AIRMAN       | AX 30-2           | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 30UR-3         | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 32U            | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 33MU           | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 33U            | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 34U-4, 1-type  | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 35             | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | AX 35-2           | 4400       | 300       | 52.5      | 82    |
| AIRMAN       | HM 30 SGZ         | 4400       | 300       | 52,5      | 82    |
| AIRMAN       | AX 34U-4, 2-type  | 4510       | 300       | 52.5      | 84    |
| AIRMAN       | AX 35-1           | 4510       | 300       | 52.5      | 84    |
| AIRMAN       | AX 35-1           | 4510       | 300       | 55        | 82    |
| AIRMAN       | AX 35u            | 4620       | 300       | 52.5      | 86    |
| AIRMAN       | AX 36u            | 4620       | 300       | 52.5      | 86    |
| AIRMAN       | AX 18-2           | 3885       | 250       | 107,5     | 36    |
| AIRMAN       | AX 22, 1-type     | 3885       | 250       | 107,5     | 36    |
| AIRMAN       | AX 22, 2-type     | 3885       | 250       | 52.5      | 73    |
| AIRMAN       | AX 22-1           | 3885       | 250       | 52.5      | 73    |
| AIRMAN       | AX 22-2/CGL       | 3885       | 250       | 52.5      | 73    |
| AIRMAN       | AX 24             | 3885       | 250       | 52.5      | 73    |
| AIRMAN       | AX 20UR, 2-type   | 4095       | 260       | 52.5      | 78    |
| AIRMAN       | AX 20UR-3, 1-type | 4095       | 250       | 52.5      | 77    |
| AIRMAN       | AX 20UR-3, 2-type | 4095       | 260       | 52.5      | 78    |
| AIRMAN       | HM 10, 2-type     | 3744       | 230       | 72        | 42    |
| AIRMAN       | HM 10SAG          | 3744       | 230       | 72        | 42    |
| AIRMAN       | HM 15, 2-type     | 3744       | 230       | 72        | 42    |

| Manufacturer | Model            | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|------------------|------------|-----------|-----------|-------|
| AIRMAN       | HM 15S, 1-type   | 3744       | 230       | 72        | 42    |
| ANGEL        | WY 3.5           | 4510       | 300       | 55        | 82    |
| ANTEC        | HCC 2051         | 3744       | 250       | 72        | 50    |
| ATLAS        | 805              | 6106       | 450       | 71        | 86    |
| ATLAS        | 604/604R         | 4104       | 250       | 72        | 57    |
| ATLAS        | 1004             | 3744       | 250       | 72        | 50    |
| ATLAS        | 100B, 1-type     | 2952       | 230       | 72        | 41    |
| ATLAS        | 100CT, 1-type    | 2952       | 230       | 72        | 41    |
| ATLAS        | 110              | 2952       | 230       | 72        | 41    |
| ATLAS        | 1104/CT150       | 2952       | 230       | 72        | 41    |
| ATLAS        | CT 150/150R      | 2952       | 230       | 72        | 41    |
| ATLAS        | CT 200R          | 2952       | 230       | 72        | 41    |
| ATLAS        | 120 AB           | 3744       | 230       | 72        | 42    |
| ATLAS        | AB 120 R         | 3744       | 230       | 72        | 42    |
| ATLAS        | AP 100           | 3744       | 230       | 72        | 42    |
| ATLAS        | AP 120           | 3744       | 230       | 72        | 42    |
| ATLAS        | CT 120           | 3744       | 230       | 72        | 42    |
| AVANT TECNO  | Dumper 1200      | 3240       | 250       | 72        | 45    |
| AVANT TECNO  | Dumper 1500      | 3240       | 250       | 72        | 45    |
| BARALDI      | FB 203           | 3240       | 250       | 72        | 45    |
| BASTEI       | SLD 251          | 3744       | 250       | 72        | 50    |
| BELLE        | 5070, 2-type     | 2664       | 200       | 72        | 37K   |
| BERTONILI    | Minitransporter  | 2280       | 180       | 60        | 38    |
| BOBCAT       | 442, Y2001       | 6106       | 450       | 71        | 86    |
| BOBCAT       | X 442/Terex HR32 | 6106       | 450       | 71        | 86    |
| BOBCAT       | X 123            | 3384       | 250       | 72        | 47    |
| BOBCAT       | X 220            | 3240       | 250       | 72        | 45    |
| BOBCAT       | X 320, 1-type    | 3240       | 250       | 72        | 45    |
| BONNE        | B23RP            | 3384       | 250       | 72        | 47    |
| BONNE        | Microsand        | 2952       | 230       | 72        | 41    |
| BROOK        | 180, 2-type      | 3744       | 230       | 72        | 42    |
| Carriers     | HP250, 2-type    | 2040       | 180       | 60        | 34    |
| Carriers     |                  | 2040       | 180       | 60        | 34    |
| CASE         | CK 62            | 5832       | 450       | 81        | 72    |
| CASE         | CK 82            | 5832       | 450       | 81        | 72    |
| CASE         | CK 9003, 1-type  | 5822       | 450       | 73.5      | 80    |
| CASE         | CK 9003, 2-type  | 5822       | 450       | 71        | 82    |
| CASE         | CK 9007, 1-type  | 5822       | 450       | 73.5      | 80    |
| CASE         | CK 9007, 2-type  | 5822       | 450       | 71        | 82    |

| Manufacturer | Model                | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|----------------------|------------|-----------|-----------|-------|
| CASE         | CK 9007 Alliance     | 5822       | 450       | 71        | 82    |
| CASE         | 25                   | 3780       | 250       | 109       | 35    |
| CASE         | 23 Maxi              | 3780       | 250       | 109       | 35    |
| CASE         | CK 23                | 3780       | 250       | 109       | 35    |
| CASE         | CK 25                | 3780       | 250       | 109       | 35    |
| CASE         | CX 23                | 3780       | 250       | 109       | 35    |
| CASE         | CX 14 (Kobelco-type) | 3360       | 230       | 48        | 70    |
| CASE         | CX 18B               | 3360       | 250       | 48        | 70    |
| CAT          | 312 BSR              | 7544       | 500       | 92        | 82    |
| CAT          | 313 BSR              | 7544       | 500       | 92        | 82    |
| CAT          | E120 B               | 7544       | 500       | 92        | 82    |
| CAT          | 311 B                | 7176       | 500       | 92        | 78    |
| CAT          | 311 BSR              | 7176       | 500       | 92        | 78    |
| CAT          | E110 B               | 7176       | 500       | 92        | 78    |
| CAT          | 308 BSR              | 6106       | 450       | 71        | 86    |
| CAT          | 307 A                | 5822       | 450       | 71        | 82    |
| CAT          | 307 B                | 5822       | 450       | 71        | 82    |
| CAT          | 307 SSR              | 5822       | 450       | 71        | 82    |
| CAT          | 706                  | 5822       | 450       | 71        | 82    |
| CAT          | E 70                 | 5822       | 450       | 71        | 82    |
| CAT          | E 70 B               | 5822       | 450       | 71        | 82    |
| CAT          | MM 25, 1-type        | 3990       | 300       | 52.5      | 76    |
| CAT          | ME 30                | 4200       | 300       | 52.5      | 80    |
| CAT          | ME 30B/30T           | 4200       | 300       | 52.5      | 80    |
| CAT          | MM 30                | 4200       | 300       | 52.5      | 80    |
| CAT          | MM 30B               | 4200       | 300       | 52.5      | 80    |
| CAT          | MM 30CR-2            | 4200       | 300       | 52.5      | 80    |
| CAT          | MM 30SR              | 4200       | 300       | 52.5      | 80    |
| CAT          | MM 30T               | 4200       | 300       | 52.5      | 80    |
| CAT          | MX 35, 1-type        | 4200       | 300       | 52.5      | 80    |
| CAT          | MX 35, 2-type        | 4200       | 300       | 109       | 39    |
| CAT          | ME 20                | 3885       | 300       | 109       | 36    |
| CAT          | ME 25                | 3885       | 300       | 109       | 36    |
| CAT          | MM 20                | 3885       | 300       | 52.5      | 74    |
| CAT          | MM 20CR              | 3885       | 300       | 52.5      | 74    |
| CAT          | MM 20SR              | 3885       | 300       | 52.5      | 74    |
| CAT          | MM 20T               | 3885       | 300       | 52.5      | 74    |
| CAT          | MS 010               | 3240       | 250       | 72        | 45    |
| CAT          | 301.6, 2-type        | 3168       | 230       | 48        | 66    |

| Manufacturer   | Model                | Length(mm) | Width(mm) | Pitch(mm) | Links |
|----------------|----------------------|------------|-----------|-----------|-------|
| CAT            | 301.5CR              | 3360       | 230       | 48        | 70    |
| CAT            | 306.1                | 3456       | 230       | 48        | 72    |
| CHIKUSUI       | CC 91                | 4400       | 300       | 55        | 80    |
| CHIKUSUI       | GC 640, 2-type       | 3240       | 250       | 72        | 45    |
| CHIKUSUI       | BFK 808              | 3744       | 230       | 72        | 42    |
| CHIKUSUI       | BFY 901              | 3744       | 230       | 72        | 42    |
| CHIKUSUI       | CC 800-1             | 3744       | 230       | 72        | 42    |
| CHIKUSUI       | BFP 401 (Pink Lady)  | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | BFP 401F (Pink Lady) | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | BFP 401T (Pink Lady) | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | BFP 402              | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | BFP 501F (Pink Lady) | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | BFP 501T (Pink Lady) | 2040       | 180       | 60        | 34    |
| CHIKUSUI       | CC 350               | 2040       | 180       | 60        | 34    |
| COMOTER        | C 15                 | 3744       | 230       | 72        | 42    |
| COMOTER        | C 18                 | 3744       | 230       | 72        | 42    |
| COMPAIR HOLMAN | MTRAK, 2-type        | 2880       | 200       | 72        | 40K   |
| DAEWOO         | SL 035               | 4510       | 300       | 52.5      | 84    |
| DAEWOO         | Solar 035            | 4510       | 300       | 52.5      | 84    |
| DAEWOO         | Solar 35, 2-type     | 4510       | 300       | 52,5      | 84    |
| DRAGO          | DRAGO-3              | 4104       | 250       | 72        | 57    |
| DRAGO          | LSE 200              | 3744       | 250       | 72        | 50    |
| DYNAPAC        | FC 15                | 3240       | 250       | 72        | 45    |
| DYNAPAC        | VC 15                | 3240       | 250       | 72        | 45    |
| DYNAPAC        | VD 15                | 3240       | 250       | 72        | 45    |
| ENTECO         | E4                   | 4104       | 250       | 72        | 57    |
| EUROCAT        | 200 HVS              | 3744       | 250       | 72        | 50    |
| EUROCAT        | 200 LSE              | 3744       | 250       | 72        | 50    |
| EUROCAT        | 210 HVS              | 3744       | 250       | 72        | 50    |
| EUROCAT        | 210 LSE              | 3744       | 250       | 72        | 50    |
| EUROCAT        | 250 LSE              | 3744       | 250       | 72        | 50    |
| EUROCOMACH     | ES 800               | 6106       | 450       | 71        | 86    |
| EUROCOMACH     | E 4000               | 4510       | 300       | 55        | 82    |
| EUROCOMACH     | ES 400, 1-type       | 4510       | 300       | 55        | 82    |
| EUROCOMACH     | ES 400, 2-type       | 4510       | 300       | 52,5      | 84    |
| EUROCOMACH     | ES 150-3, 2-type     | 3168       | 230       | 48        | 66    |
| EUROCOMACH     | ES 180-3, 2-type     | 3168       | 230       | 48        | 66    |
| EUROCOMACH     | E 1300, 2-type       | 2664       | 200       | 72        | 37K   |
| EURODIG        | Dumpy 300M           | 2040       | 180       | 60        | 34    |

| Manufacturer | Model                 | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-----------------------|------------|-----------|-----------|-------|
| EURODIG      | Dumpy 800, 1-type     | 2040       | 180       | 60        | 34    |
| EURODIG      | Dumpy 500, 1-type     | 2400       | 180       | 60        | 40    |
| EUROTOM      | TS 35, 1-type         | 4510       | 300       | 55        | 82    |
| EUROTRAC     | COMET MT13BB          | 3744       | 230       | 72        | 42    |
| EUROTRAC     | Chassis T150A, 2-type | 3360       | 230       | 96        | 35    |
| FAI          | 145                   | 5075       | 400       | 72.5      | 70    |
| FERCAD       | T 3250                | 2040       | 180       | 60        | 34    |
| FIAT-HITACHI | FH 30.2, 1-type       | 4400       | 300       | 52.5      | 82    |
| FIAT-HITACHI | FH 30.2, 2-type       | 4400       | 300       | 55        | 80    |
| FIAT-HITACHI | FH 30.2 plus, 2-type  | 4400       | 300       | 52.5      | 82    |
| FIAT-HITACHI | FH 30.3 Plus          | 4400       | 300       | 55        | 80    |
| FIAT-HITACHI | FH 35.2, 1-type       | 4400       | 300       | 52.5      | 82    |
| FIAT-HITACHI | FH 35.2, 2-type       | 4400       | 300       | 55        | 80    |
| FIAT-HITACHI | FH 35.2 plus, 1-type  | 4400       | 300       | 52.5      | 82    |
| FIAT-HITACHI | FH 35.2 plus, 2-type  | 4400       | 300       | 55        | 80    |
| FIAT-HITACHI | FH 35.3 Plus          | 4400       | 300       | 55        | 80    |
| FIAT-HITACHI | FH 22.2               | 3885       | 250       | 52.5      | 73    |
| FIAT-HITACHI | FH 22.2 Plus          | 3885       | 250       | 52.5      | 73    |
| FIAT-HITACHI | FH 30.2 plus, 1-type  | 3885       | 250       | 52.5      | 73    |
| FRASTE       | Multidrill XL         | 4510       | 300       | 55        | 82    |
| FURUKAWA     | FX 60-2               | 5832       | 450       | 81        | 72    |
| FURUKAWA     | FX 60-3               | 5832       | 450       | 81        | 72    |
| FURUKAWA     | FX 60URG              | 5832       | 450       | 81        | 72    |
| FURUKAWA     | FX 014, 1-type        | 3744       | 230       | 72        | 42    |
| GEHLMAX      | MB 358                | 4510       | 300       | 55        | 82    |
| GEHLMAX      | A 17 SA               | 3384       | 250       | 82        | 47    |
| GEHLMAX      | M 135                 | 3240       | 250       | 72        | 45    |
| GEHLMAX      | MB1135/1135S          | 3240       | 250       | 72        | 45    |
| GEHLMAX      | MB 135S               | 3240       | 250       | 72        | 45    |
| GEHLMAX      | MB145                 | 3240       | 250       | 72        | 45    |
| GEHLMAX      | MB165                 | 3240       | 250       | 72        | 45    |
| GRILLO       | Dumper 350            | 2040       | 180       | 60        | 34    |
| GRUNDODRILL  | 7 X                   | 4104       | 250       | 72        | 57    |
| GRUNDODRILL  | 10 S                  | 4104       | 250       | 72        | 57    |
| GRUNDOHIT    | 45                    | 4104       | 250       | 72        | 57    |
| HAINZL       | 200LSE/210HVS         | 3744       | 250       | 72        | 50    |
| HANIX        | H 75 B                | 6106       | 450       | 71        | 86    |
| HANIX        | S & B 45              | 6318       | 450       | 165       | 38    |
| HANIX        | S & B 800             | 6318       | 450       | 165       | 38    |

| Manufacturer | Model           | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-----------------|------------|-----------|-----------|-------|
| HANIX        | S & B 800-2     | 6318       | 450       | 165       | 38    |
| HANIX        | H 36 B          | 4510       | 300       | 52.5      | 84    |
| HANIX        | H 36 R          | 4510       | 300       | 52.5      | 84    |
| HANIX        | S & B X-1       | 4200       | 300       | 52.5      | 80    |
| HANIX        | N 06            | 3240       | 250       | 72        | 45    |
| HANIX        | N 060           | 3240       | 250       | 72        | 45    |
| HANIX        | N 120           | 3240       | 250       | 72        | 45    |
| HANIX        | N 120 R         | 3240       | 250       | 72        | 45    |
| HANIX        | YFW 5D-1        | 3600       | 230       | 72        | 50    |
| HCC          | 2051            | 3744       | 250       | 72        | 50    |
| HCC          | 2051-D          | 3744       | 250       | 72        | 50    |
| HCC          | 2051-L          | 3744       | 250       | 72        | 50    |
| HCC          | 205-LD          | 3744       | 250       | 72        | 50    |
| HINOWA       | DM 30           | 4510       | 300       | 55        | 82    |
| HINOWA       | DM 30S          | 4510       | 300       | 55        | 82    |
| HINOWA       | DM 40 L         | 4510       | 300       | 55        | 82    |
| HINOWA       | DM 40 L 2 V     | 4510       | 300       | 55        | 82    |
| HINOWA       | PT 30G          | 4510       | 300       | 55        | 82    |
| HINOWA       | VT 4000 2 V     | 4510       | 300       | 55        | 82    |
| HINOWA       | PT 20GL         | 4104       | 250       | 72        | 57    |
| HINOWA       | PT 13, 1-type   | 3744       | 230       | 72        | 42    |
| HINOWA       | YFW 5 D-1       | 3600       | 230       | 72        | 50    |
| HINOWA       | DB 9.11, 2-type | 2664       | 200       | 72        | 37    |
| HINOWA       | DM 10, 2-type   | 2664       | 200       | 72        | 37    |
| HINOWA       | DM 10M, 2-type  | 2664       | 200       | 72        | 37    |
| HINOWA       | PT 10G, 2-type  | 2664       | 200       | 72        | 37    |
| HINOWA       | PT 13, 2-type   | 2664       | 200       | 72        | 37    |
| HITACHI      | EX 120          | 7728       | 500       | 92        | 84    |
| HITACHI      | EX 120          | 7728       | 500       | 92        | 84    |
| HITACHI      | EX 135          | 7728       | 500       | 92        | 84    |
| HITACHI      | EX 135 UR       | 7728       | 500       | 92        | 84    |
| HITACHI      | EX 100          | 7176       | 500       | 92        | 78    |
| HITACHI      | EX 100-1        | 7176       | 500       | 92        | 78    |
| HITACHI      | EX 100-2        | 7176       | 500       | 92        | 78    |
| HITACHI      | EX 100-3        | 7176       | 500       | 92        | 78    |
| HITACHI      | EX 100-5        | 7176       | 500       | 92        | 78    |
| HITACHI      | EX 60, 1-type   | 5832       | 450       | 163       | 36    |
| HITACHI      | EX 60, 2-type   | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60 UR        | 5832       | 450       | 81        | 72    |

| Manufacturer | Model            | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|------------------|------------|-----------|-----------|-------|
| HITACHI      | EX 60 URG        | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60-1          | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60-2, 1-type  | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60-3, 1-type  | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60-3, 2-type  | 5832       | 450       | 81,5      | 72    |
| HITACHI      | EX 75 UR, 1-type | 5832       | 450       | 81        | 72    |
| HITACHI      | EX 60 LC-2       | 6156       | 450       | 81        | 76    |
| HITACHI      | EX 60 LC-3       | 6156       | 450       | 81        | 76    |
| HITACHI      | EX 60 URG-2      | 6156       | 450       | 81        | 76    |
| HITACHI      | EX 75 UR-3       | 6156       | 450       | 81        | 76    |
| HITACHI      | EX 60 LC         | 6318       | 450       | 81        | 78    |
| HITACHI      | EX 75 US-7       | 6318       | 450       | 81        | 78    |
| HITACHI      | EX50URG,3-type   | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX50,1-type      | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX50,2-type      | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX50-1           | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX50-2           | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX52-2           | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX55UR           | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX55UR-2         | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX55UR-3         | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX55URG          | 5220       | 400       | 72.5      | 72    |
| HITACHI      | EX 30, 2-type    | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 30 U          | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 30 UR, 2-type | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 30 UR-2       | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 30 UR-2C      | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 30 UR-3       | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 32 U          | 4400       | 300       | 52.5      | 82    |
| HITACHI      | EX 32 UE         | 4400       | 300       | 52.5      | 82    |
| HITACHI      | EX 33 MU         | 4400       | 300       | 52.5      | 82    |
| HITACHI      | EX 33 U          | 4400       | 300       | 52.5      | 82    |
| HITACHI      | EX 34U-4, 1-type | 4400       | 300       | 52.5      | 82    |
| HITACHI      | EX 35            | 4400       | 300       | 55        | 82    |
| HITACHI      | EX 35-2          | 4400       | 300       | 55        | 80    |
| HITACHI      | FH 30.2          | 4400       | 300       | 55        | 80    |
| HITACHI      | FH 30.2 Plus     | 4400       | 300       | 55        | 80    |
| HITACHI      | FH 35.2          | 4400       | 300       | 55        | 80    |
| HITACHI      | FH 35.2 Plus     | 4400       | 300       | 55        | 80    |

| Manufacturer | Model              | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|--------------------|------------|-----------|-----------|-------|
| HITACHI      | SH 30-2            | 4400       | 300       | 55        | 80    |
| HITACHI      | ZX 30              | 4400       | 300       | 55        | 80    |
| HITACHI      | ZX 35              | 4400       | 300       | 55        | 80    |
| HITACHI      | EX 33, 2-type      | 4510       | 300       | 52,5      | 84    |
| HITACHI      | EX 34U-4, 2-type   | 4510       | 300       | 52.5      | 84    |
| HITACHI      | EX 35-1            | 4510       | 300       | 55        | 82    |
| HITACHI      | EX 40 UR           | 4510       | 300       | 55        | 82    |
| HITACHI      | EX 40 UR-1         | 4510       | 300       | 55        | 82    |
| HITACHI      | EX 40 UR-2         | 4510       | 300       | 55        | 82    |
| HITACHI      | EX 35 U            | 4620       | 300       | 52.5      | 86    |
| HITACHI      | EX 36 U            | 4620       | 300       | 52.5      | 86    |
| HITACHI      | ZX 30U             | 4620       | 300       | 52.5      | 86    |
| HITACHI      | EX 15, 1-type      | 3885       | 250       | 52,5      | 73    |
| HITACHI      | EX 18-2            | 3885       | 250       | 52.5      | 73    |
| HITACHI      | EX 21              | 3885       | 250       | 52.5      | 73    |
| HITACHI      | EX 22, 1-type      | 3885       | 250       | 107,5     | 36    |
| HITACHI      | EX 22, 2-type      | 3885       | 250       | 52.5      | 73    |
| HITACHI      | EX 22-1            | 3885       | 250       | 52.5      | 73    |
| HITACHI      | EX 22-2            | 3885       | 250       | 52.5      | 73    |
| HITACHI      | FH 22              | 3885       | 250       | 52.5      | 73    |
| HITACHI      | FH 22.2            | 3885       | 250       | 52.5      | 73    |
| HITACHI      | ZX 25              | 3885       | 250       | 52.5      | 73    |
| HITACHI      | EX 20 UR, 1-type   | 4095       | 250       | 107       | 38    |
| HITACHI      | EX 20 UR, 2-type   | 4095       | 260       | 52,5      | 78    |
| HITACHI      | EX 20 UR-3, 1-type | 4095       | 250       | 52,5      | 77    |
| HITACHI      | EX 20 UR-3, 2-type | 4095       | 260       | 52,5      | 78    |
| HITACHI      | EX 12 old          | 3744       | 230       | 72        | 42    |
| HITACHI      | EX 14              | 3744       | 230       | 72        | 42    |
| HITACHI      | EX 14 SR           | 3744       | 230       | 72        | 42    |
| HITACHI      | HE 10              | 3744       | 230       | 72        | 42    |
| HITACHI      | UE 004, 1-type     | 3744       | 230       | 72        | 42    |
| HITACHI      | UE 10, 1-type      | 3744       | 230       | 72        | 42    |
| HITACHI      | UE 12, 1-type      | 3744       | 230       | 72        | 42    |
| HITACHI      | UE 15, 1-type      | 3744       | 230       | 72        | 42    |
| HITACHI      | UE 15 SR, 1-type   | 3744       | 230       | 72        | 42    |
| HITACHI      | UH 004             | 3744       |           |           |       |
| HITACHI      | EX 17U             | 3360       | 230       | 96        | 35    |
| HITACHI      | EX 7               | 2664       | 180       | 72        | 37    |
| HITACHI      | EX 10 U, 2-type    | 2880       | 200       | 72        | 40K   |

| Manufacturer | Model            | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|------------------|------------|-----------|-----------|-------|
| HOLMAC       | HZC 35, 2-type   | 3240       | 300       | 72        | 45    |
| HOLMAC       | HZC 35T, 2-type  | 3240       | 300       | 72        | 45    |
| HOLMAC       | HZC 37, 2-type   | 3240       | 300       | 72        | 45    |
| HOLMAC       | HZC 35, 1-type   | 3240       | 250       | 72        | 45    |
| HOLMAC       | HZC 35T, 1-type  | 3240       | 250       | 72        | 45    |
| HOLMAC       | HZC 37, 1-type   | 3240       | 250       | 72        | 45    |
| HOLMAC       | HZC 16, 2-type   | 2664       | 200       | 72        | 37    |
| HOLMAC       | HZC 22, 2-type   | 2664       | 200       | 72        | 37    |
| HOLMAC       | HZC 24           | 2664       | 200       | 72        | 37    |
| HONDA        | HP 250, 2-type   | 2040       | 180       | 60        | 34    |
| HONDA        | SC 156 DD        | 2040       | 180       | 60        | 34    |
| HUKI         | 80B-4            | 3744       | 230       | 72        | 42    |
| HUTTER       | 80 H             | 3744       | 230       | 72        | 42    |
| HUTTER       | 110 H            | 3600       | 230       | 72        | 50    |
| HUTTER       | 120 H, 1-type    | 3600       | 230       | 72        | 50    |
| IBEA         | IBEA-2           | 2040       | 180       | 60        | 34    |
| IHI          | 65UJ             | 5822       | 450       | 71        | 82    |
| IHI          | 70Z              | 5822       | 450       | 71        | 82    |
| IHI          | 75NX             | 5822       | 450       | 71        | 82    |
| IHI          | 80NX             | 5822       | 450       | 71        | 82    |
| IHI          | IS 65 UJ         | 5822       | 450       | 71        | 82    |
| IHI          | IS 70 Z          | 5822       | 450       | 71        | 82    |
| IHI          | IS 75 F          | 5822       | 450       | 145       | 40    |
| IHI          | IS 75 UJ         | 5822       | 450       | 73        | 80    |
| IHI          | IS 80 NX         | 5822       | 450       | 73        | 80    |
| IHI          | 25JX             | 3990       | 300       | 52.5      | 76    |
| IHI          | 28G              | 3990       | 300       | 52.5      | 76    |
| IHI          | 28J              | 3990       | 300       | 52.5      | 76    |
| IHI          | IS 27 G, 2-type  | 3990       | 300       | 52,5      | 76    |
| IHI          | IS 28 G, 2-type  | 3990       | 300       | 52.5      | 76    |
| IHI          | IS 28 GX         | 3990       | 300       | 52.5      | 76    |
| IHI          | IS 28 J          | 3990       | 300       | 52.5      | 76    |
| IHI          | IS 28 LX, 2-type | 3990       | 300       | 52.5      | 76    |
| IHI          | IS 28 PX, 2-type | 3990       | 300       | 52.5      | 76    |
| IHI          | MBU28-J          | 3990       | 300       | 52.5      | 76    |
| IHI          | 30J              | 4200       | 300       | 52.5      | 80    |
| IHI          | 30UJ             | 4200       | 300       | 52.5      | 80    |
| IHI          | 30Z              | 4200       | 300       | 52.5      | 80    |
| IHI          | 32J              | 4200       | 300       | 52.5      | 80    |

| Manufacturer | Model           | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-----------------|------------|-----------|-----------|-------|
| IHI          | IS 28 UX-2      | 4200       | 300       | 52.5      | 80    |
| IHI          | IS 30 GX        | 4200       | 300       | 52.5      | 80    |
| IHI          | IS 30 J         | 4200       | 300       | 52.5      | 80    |
| IHI          | IS 30 UJ        | 4200       | 300       | 52.5      | 80    |
| IHI          | IS 30 Z         | 4200       | 300       | 52.5      | 80    |
| IHI          | 35FX            | 4725       | 300       | 52.5      | 90    |
| IHI          | 35JX            | 4725       | 300       | 52.5      | 90    |
| IHI          | 35NX            | 4725       | 300       | 52.5      | 90    |
| IHI          | 35UJ            | 4725       | 300       | 52.5      | 90    |
| IHI          | 38UJ            | 4725       | 300       | 52.5      | 90    |
| IHI          | 40Z             | 4725       | 300       | 52.5      | 90    |
| IHI          | CCH 30T         | 4725       | 300       | 52.5      | 90    |
| IHI          | IS 35 JX        | 4725       | 300       | 52.5      | 90    |
| IHI          | IS 35 NX        | 4725       | 300       | 52.5      | 90    |
| IHI          | IS 35 UJ        | 4725       | 300       | 52.5      | 90    |
| IHI          | IS 38 UJ        | 4725       | 300       | 52.5      | 90    |
| IHI          | IS 40 Z         | 4725       | 300       | 52.5      | 90    |
| IHI          | 20JX, 1-type    | 3384       | 250       | 72        | 47    |
| IHI          | 20JX, 2-type    | 3840       | 250       | 96        | 40    |
| IHI          | 20NX            | 3840       | 250       | 96        | 40    |
| IHI          | 20Z             | 3840       | 250       | 96        | 40    |
| IHI          | IS 18 UJ        | 3840       | 250       | 96        | 40    |
| IHI          | IS 20 JX/GX     | 3840       | 250       | 96        | 40    |
| IHI          | 101 (dumper)    | 2400       | 180       | 60        | 40    |
| IMEF         | HE 31           | 4725       | 300       | 52,5      | 90    |
| IMEF         | HE 32, 1-type   | 4725       | 300       | 52,5      | 90    |
| IMEF         | HE 32, 2-type   | 4725       | 300       | 52,5      | 90    |
| IMEF         | HE 14S, 1-type  | 3744       | 230       | 72        | 42    |
| IRMANN       | AX 20UR, 1-type | 4095       | 250       | 107,5     | 38    |
| IWAFUJI      | CT 27N          | 3885       | 300       | 52.5      | 74    |
| IWAFUJI      | CT 150 R        | 2952       | 230       | 72        | 41    |
| IWAFUJI      | CT 200 R        | 2952       | 230       | 72        | 41    |
| IWAFUJI      | CT 120          | 3744       | 230       | 72        | 42    |
| JCB          | JS 70, 2-type   | 5822       | 450       | 73.5      | 80    |
| JCB          | JS 70, 3-type   | 5822       | 450       | 71        | 82    |
| JCB          | 802.8           | 3885       | 300       | 52.5      | 74    |
| JCB          | 801.1           | 3744       | 230       | 72        | 42    |
| JCB          | 801, 1-type     | 3744       | 230       | 72        | 42    |
| JCB          | 801 R, 1-type   | 3744       | 230       | 72        | 42    |

| Manufacturer | Model              | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|--------------------|------------|-----------|-----------|-------|
| JCB          | 801FDI             | 3744       | 230       | 72        | 42    |
| JOHN DEERE   | 35 ZTS (US markt)  | 4510       | 300       | 52.5      | 86    |
| JOHN DEERE   | 17ZTS              | 3360       | 230       | 96        | 35    |
| KOBELCO      | SK 120             | 7544       | 500       | 92        | 82    |
| KOBELCO      | SK 120-1           | 7544       | 500       | 92        | 82    |
| KOBELCO      | SK 120-2/120-3     | 7544       | 500       | 92        | 82    |
| KOBELCO      | SK 100             | 7176       | 500       | 92        | 78    |
| KOBELCO      | SK 100-1           | 7176       | 500       | 92        | 78    |
| KOBELCO      | SK 100-2/100-3     | 7176       | 500       | 92        | 78    |
| KOBELCO      | B 69               | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 042             | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 042-1           | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 045             | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 045 Coupe       | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 045-1           | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 045-2           | 5365       | 400       | 74        | 72    |
| KOBELCO      | SK 050             | 5365       | 400       | 74        | 72    |
| KOBELCO      | 25SR-2             | 3456       | 230       | 48        | 70    |
| KOBELCO      | SK 005             | 2400       | 180       | 60        | 40    |
| KOBELCO      | SK 09 SR           | 2880       | 180       | 72        | 40    |
| KOMATSU      | PC 20-6, 3-type    | 4510       | 300       | 109       | 41    |
| KOMATSU      | PC 25-1, 2-type    | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 25 E-1          | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 25-7            | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 27 MR, 1-type   | 4510       | 300       | 52,5      | 84    |
| KOMATSU      | PC 27 MR, 2-type   | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 28 uu           | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30 MR-1         | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30 MRX          | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30 R            | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30 R-8          | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30 UU-3         | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30-6 S          | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 30-7F>18384     | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 35 MR-1, 1-type | 4510       | 300       | 52,5      | 84    |
| KOMATSU      | PC 35 MR-1, 2-type | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 35 R            | 4510       | 300       | 52,5      | 84    |
| KOMATSU      | PC 35 R (Utility)  | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 35 R-8          | 4510       | 300       | 55        | 82    |

| Manufacturer | Model             | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-------------------|------------|-----------|-----------|-------|
| KOMATSU      | PC 38 uu-2        | 4510       | 300       | 55        | 82    |
| KOMATSU      | PC 38 uu-3        | 4510       | 300       | 55        | 82    |
| KOMATSU      | MM20CR            | 3885       | 260       | 52.5      | 74    |
| KOMATSU      | PC 05, 1-type     | 3744       | 230       | 72        | 42    |
| KOMATSU      | PC 05-1           | 3744       | 230       | 72        | 42    |
| KOMATSU      | PC 05-2           | 3744       | 230       | 72        | 42    |
| KOMATSU      | PC 05-5           | 3744       | 230       | 72        | 42    |
| KOMATSU      | PC 05-6, 3-type   | 3744       | 230       | 72        | 42    |
| KOMATSU      | PC 15 MR          | 3360       | 230       | 96        | 35    |
| KOMATSU      | PC 09 (Utility)   | 2664       | 200       | 72        | 37    |
| KOMATSU      | PC 09-1 (Utility) | 2664       | 200       | 72        | 37    |
| KOMATSU      | PC 08UU, 2-type   | 2880       | 200       | 72        | 40    |
| KUBOTA       | KX 251            | 6106       | 450       | 71        | 86    |
| KUBOTA       | KX 251 ALFA       | 6106       | 450       | 71        | 86    |
| KUBOTA       | KH 191, 2-type    | 5832       | 450       | 81        | 72    |
| KUBOTA       | KX 191, 2-type    | 5832       | 450       | 81        | 72    |
| KUBOTA       | KX 60-2           | 5832       | 450       | 81        | 72    |
| KUBOTA       | KX 60-3           | 5832       | 450       | 81        | 72    |
| KUBOTA       | K 030-3           | 4240       | 300       | 53        | 80    |
| KUBOTA       | KX 61-3           | 4240       | 300       | 53        | 80    |
| KUBOTA       | KX 71-3           | 4240       | 300       | 53        | 80    |
| KUBOTA       | KX 91-3           | 4240       | 300       | 53        | 80    |
| KUBOTA       | U 25-3            | 4240       | 300       | 53        | 80    |
| KUBOTA       | K 035-3           | 4452       | 300       | 53        | 84    |
| KUBOTA       | KX 101-3          | 4452       | 300       | 53        | 84    |
| KUBOTA       | U 35-2            | 4452       | 300       | 53        | 84    |
| KUBOTA       | U 35-3            | 4452       | 300       | 53        | 84    |
| KUBOTA       | KC 100 H          | 3744       | 250       | 72        | 50    |
| KUBOTA       | KC 120, 1-type    | 3240       | 250       | 72        | 45    |
| KUBOTA       | KC 140            | 3240       | 250       | 72        | 45    |
| KUBOTA       | KH 021/021HG      | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 061, 1-type    | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 21, 2-type     | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 50, 1-type     | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 51, 1-type     | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 52, 1-type     | 3780       | 250       | 109       | 35    |
| KUBOTA       | KH 55             | 3780       | 250       | 109       | 35    |
| KUBOTA       | KN 51             | 3780       | 250       | 109       | 35    |
| KUBOTA       | KX 51             | 3780       | 250       | 109       | 35    |

| Manufacturer | Model          | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|----------------|------------|-----------|-----------|-------|
| KUBOTA       | KX 61          | 3780       | 250       | 109       | 35    |
| KUBOTA       | KC 12          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 012, 2-type | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 012G        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 012GH       | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 014         | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 014G        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 014GH       | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 041         | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 12          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 120         | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 14          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 14 G        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 14 HG       | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 35          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 36          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 37          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 38          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 41, 1-type  | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 41R         | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 5, 1-type   | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 55          | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 55 G        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 55 R        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 55 S        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KH 55 X        | 3744       | 230       | 72        | 42    |
| KUBOTA       | KX 41-2SV      | 3360       | 230       | 96        | 35    |
| KUBOTA       | KX 41-2V       | 3360       | 230       | 96        | 35    |
| KUBOTA       | KX 41-2V ALFA  | 3360       | 230       | 96        | 35    |
| KUBOTA       | KX 41-2VC      | 3360       | 230       | 96        | 35    |
| KUBOTA       | KX 41-3V       | 3360       | 230       | 48        | 70    |
| KUBOTA       | RX 141         | 3360       | 230       | 96        | 35    |
| KUBOTA       | U 13           | 3360       | 230       | 96        | 35    |
| KUBOTA       | U 15           | 3360       | 230       | 96        | 35    |
| KUBOTA       | K 008-3        | 2664       | 180       | 72        | 37    |
| KUBOTA       | KX 008-3       | 2664       | 180       | 72        | 37    |
| KUBOTA       | KC 40          | 2040       | 180       | 60        | 34    |
| KUBOTA       | U 10           | 2880       | 180       | 72        | 40    |
| KUBOTA       | U 10-3         | 2880       | 180       | 72        | 40    |

| Manufacturer     | Model                | Length(mm) | Width(mm) | Pitch(mm) | Links |
|------------------|----------------------|------------|-----------|-----------|-------|
| LEO              | 104 TL               | 3240       | 250       | 72        | 45    |
| LEO (Sky lifter) | 30                   | 4104       | 250       | 72        | 57    |
| LEO (Sky lifter) | 36                   | 4104       | 250       | 72        | 57    |
| LIBRA            | 104 TL, 2-type       | 3240       | 250       | 72        | 45    |
| LIBRA            | 120                  | 3240       | 250       | 72        | 45    |
| LIBRA            | T 035                | 2040       | 180       | 60        | 34    |
| LINK-BELT        | Quantum 1600, 1-type | 5822       | 450       | 73.5      | 80    |
| LINK-BELT        | Quantum 1600, 2-type | 5822       | 450       | 71        | 82    |
| LINK-BELT        | LS1600, 1-type       | 5822       | 450       | 73.5      | 80    |
| LINK-BELT        | LS1600, 2-type       | 5822       | 450       | 71        | 82    |
| MACMOTER         | M2 MINIROPA          | 3744       | 250       | 72        | 50    |
| MACMOTER         | M2 S                 | 3744       | 250       | 72        | 50    |
| MACMOTER         | M1 MINIROPA          | 3240       | 250       | 72        | 45    |
| MACMOTER         | M1/1S                | 3240       | 250       | 72        | 45    |
| MACMOTER         | M2                   | 3240       | 250       | 72        | 45    |
| MACMOTER         | MB 135S              | 3240       | 250       | 72        | 45    |
| MACMOTER         | Wieba 15             | 3240       | 250       | 72        | 45    |
| MAWECO           | YFW BR               | 3744       | 250       | 72        | 50    |
| MELROE           | 442                  | 6106       | 450       | 71        | 86    |
| MESSERSI         | M 32                 | 4400       | 300       | 54        | 80    |
| MESSERSI         | M 15                 | 3240       | 250       | 72        | 45    |
| MESSERSI         | CH 1-HI (Carrier)    | 2400       | 180       | 60        | 40    |
| MINICARRIER      | YEW8D                | 3744       | 250       | 72        | 50    |
| MINICARRIER      | YFW-BR               | 3744       | 250       | 72        | 50    |
| MINITRAC         | Minitrac 808         | 3744       | 230       | 72        | 42    |
| mitsubishi       | MM 30 STANBY         | 4200       | 300       | 52.5      | 80    |
| mitsubishi       | MM 30 CR             | 4200       | 300       | 52.5      | 80    |
| mitsubishi       | MS 010               | 3240       | 250       | 72        | 45    |
| mitsubishi       | CARRIER              | 2040       | 180       | 60        | 34    |
| mitsubishi       |                      | 2040       | 180       | 60        | 34    |
| NAGANO           | TS 75 S              | 7728       | 6106      | 450       | 71    |
| NAGANO           | NS 75-2              | 6106       | 450       | 71        | 86    |
| NAGANO           | TS 75                | 6106       | 450       | 71        | 86    |
| NAGANO           | TS 75 S              | 6106       | 450       | 71        | 86    |
| NAGANO           | TS 45 S              | 5075       | 400       | 72.5      | 70    |
| NAGANO           | TS 45                | 5075       | 400       | 72.5      | 70    |
| NAGANO           | NS 35-2              | 4510       | 300       | 55        | 82    |
| NAGANO           | TS 27S               | 3885       | 300       | 52.5      | 74    |
| NAGANO           | NS 16-3, 2-type      | 3168       | 230       | 48        | 66    |

| Manufacturer   | Model            | Length(mm) | Width(mm) | Pitch(mm) | Links |
|----------------|------------------|------------|-----------|-----------|-------|
| NEUSON         | 75 Z3            | 7728       | 6106      | 450       | 71    |
| NEUSON         | 11002 HV         | 7176       | 500       | 92        | 78    |
| NEUSON         | 11002 RD         | 7176       | 500       | 92        | 78    |
| NEUSON         | 12002 HV         | 7176       | 500       | 92        | 78    |
| NEUSON         | 12002 RD, 2-type | 7176       | 500       | 92        | 78    |
| NEUSON         | 9002 HV          | 7176       | 500       | 92        | 78    |
| NEUSON         | 9002 RD          | 7176       | 500       | 92        | 78    |
| NEUSON         | 75 Z3            | 6106       | 450       | 71        | 86    |
| NEUSON         | 2503 RD, 2-type  | 3990       | 300       | 54        | 74    |
| NEUSON         | 2503 RDV, 2-type | 3990       | 300       | 54        | 74    |
| NEUSON         | 1503, 2-type     | 3456       | 230       | 96        | 36    |
| NEUSON         | 1702             | 3456       | 230       | 96        | 36    |
| NEUSON         | 2200, 2-type     | 3456       | 230       | 96        | 36    |
| NEUSON         | 2201, 3-type     | 3456       | 230       | 96        | 36    |
| NEUSON         | 2202             | 3456       | 230       | 96        | 36    |
| NEUSON         | 1503 RD          | 3456       | 230       | 96        | 36    |
| NEUSON         | 1503 RDV         | 3456       | 230       | 96        | 36    |
| NEUSON         | 1702 MENZI       | 3456       | 230       | 96        | 36    |
| NEUSON         | 1902 RD, 3-type  | 3456       | 230       | 96        | 36    |
| NEUSON         | 1902 RD Force    | 3456       | 230       | 96        | 36    |
| NEUSON         | 2202 RD, 2-type  | 3456       | 230       | 96        | 36    |
| NEUSON         | 2202 RD Force    | 3456       | 230       | 96        | 36    |
| NEUSON carrier | RK15, 2-type     | 3456       | 230       | 96        | 36    |
| NEUSON carrier | RK15-2, 2-type   | 3456       | 230       | 96        | 36    |
| NIHON FLEX     | SHOW PLOW        | 3240       | 250       | 72        | 45    |
| NIKO           | HY 48 alt        | 3384       | 230       | 72        | 47    |
| NIKO           | HY 48            | 3744       | 230       | 72        | 52    |
| NIKO           | HY 58 2000       | 3744       | 230       | 72        | 52    |
| NIKO           | HY 13-11         | 2280       | 180       | 60        | 38    |
| NISSAN         | S & B 45         | 6318       | 450       | 165       | 38    |
| NISSAN         | S & B 800        | 6318       | 450       | 165       | 38    |
| NISSAN         | S & B 800-2      | 6318       | 450       | 165       | 38    |
| NISSAN         | N 060/N6         | 3240       | 250       | 72        | 45    |
| NISSAN         | N 120            | 3240       | 250       | 72        | 45    |
| NISSAN         | N 120 R          | 3240       | 250       | 72        | 45    |
| NISSAN         | VD 15            | 3240       | 250       | 72        | 45    |
| NISSAN         | YFW 5D-1         | 3600       | 230       | 72        | 50    |
| NORDMEYER      | DSB 0/3          | 4104       | 250       | 72        | 57    |
| NORDMEYER      | RSB 0/1.4        | 3744       | 250       | 72        | 50    |

| Manufacturer | Model                 | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-----------------------|------------|-----------|-----------|-------|
| O&K          | RH 1.20, 1-type       | 3744       | 250       | 72        | 50    |
| O&K          | 2.1 CITY              | 3240       | 250       | 72        | 45    |
| O&K          | CITY                  | 3240       | 250       | 72        | 45    |
| O&K          | RH 1.1                | 3240       | 250       | 72        | 45    |
| O&K          | RH 1.15               | 3240       | 250       | 72        | 45    |
| O&K          | RH 1.2                | 3240       | 250       | 72        | 45    |
| O&K          | RH 2                  | 3240       | 250       | 72        | 45    |
| O&K          | RH 2/2.1              | 3240       | 250       | 72        | 45    |
| O&K          | RN 1.1                | 3240       | 250       | 72        | 45    |
| O&K          | RN 2.1                | 3240       | 250       | 72        | 45    |
| Octopussy    | 1690 (sky lifter)     | 4104       | 250       | 72        | 57    |
| Octopussy    | 1695 (sky lifter)     | 4104       | 250       | 72        | 57    |
| PALAZZANI    | TSJ 24                | 3840       | 230       | 96        | 40    |
| PAUS-HERMANN | MB 3.2                | 4510       | 300       | 55        | 82    |
| PAUS-HERMANN | MB2.0/3.2             | 4510       | 300       | 55        | 82    |
| PAZZAGLIA    | FZ 160                | 3240       | 300       | 72        | 45    |
| PAZZAGLIA    | FZ 90                 | 2808       | 230       | 72        | 39    |
| PAZZAGLIA    | FZ 100                | 2808       | 230       | 72        | 39    |
| PAZZAGLIA    | FZ 110                | 2808       | 230       | 72        | 39    |
| PEL JOB      | EB 706                | 5680       | 450       | 71        | 80    |
| PEL JOB      | EB 706 C              | 5680       | 450       | 71        | 80    |
| PEL JOB      | EB 706 C-VV           | 5680       | 450       | 71        | 80    |
| PEL JOB      | EB 706 P              | 5680       | 450       | 71        | 80    |
| PEL JOB      | EB 706 P-VV           | 5680       | 450       | 71        | 80    |
| PEL JOB      | EB 450                |            | 400       | 72.5      | 68    |
| PEL JOB      | EB 450 XT             |            | 400       | 72.5      | 68    |
| PEL JOB      | EB 11, 2-type         | 3384       | 250       | 72        | 47    |
| PEL JOB      | EB 16                 | 3384       | 250       | 72        | 47    |
| PEL JOB      | EB 16.4, 2-type       | 3384       | 250       | 72        | 47    |
| PEL JOB      | EB 16.5               | 3384       | 250       | 72        | 47    |
| PEL JOB      | EB 14, 2-type         | 3240       | 250       | 72        | 45    |
| PEL JOB      | EB 14-4, 2-type       | 3240       | 250       | 72        | 45    |
| PEL JOB      | EB 16.4, 1-type       | 3240       | 250       | 72        | 45    |
| PEL JOB      | EB 200                | 3456       | 250       | 96        | 36    |
| PEL JOB      | EB 200 XT             | 3456       | 250       | 96        | 36    |
| PEL JOB      | EB 200 XTV            | 3456       | 250       | 96        | 36    |
| PICCHIO      | 1690 (sky lifeter)    | 4104       | 250       | 72        | 57    |
| PORELLO      | Car 100 (transporter) | 3744       | 230       | 72        | 42    |
| POWERFAB     | SAMURAI               | 3744       | 230       | 72        | 42    |

| Manufacturer | Model             | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-------------------|------------|-----------|-----------|-------|
| RAPID        | P30/M30           | 2040       | 180       | 60        | 34    |
| ROCKY        | P30               | 2040       | 180       | 60        | 34    |
| SACET        | KC 28 ALV         | 4104       | 250       | 72        | 57    |
| SAMBRON      |                   | 3744       | 230       | 72        | 42    |
| SATO         | SC 156 DD         | 2040       | 180       | 60        | 34    |
| SATO         | SC 156 DS         | 2040       | 180       | 60        | 34    |
| SATVIA       | VT 150 R          | 4510       | 300       | 55        | 82    |
| SCHAEFF      | HR 31             | 7728       | 6106      | 450       | 71    |
| SCHAEFF      | HR 32             | 7728       | 6106      | 450       | 71    |
| SCHAEFF      | HR 32Cl           | 7728       | 6106      | 450       | 71    |
| SCHAEFF      | HR 42             | 7176       | 500       | 92        | 78    |
| SCHAEFF      | HR 31             | 6106       | 450       | 71        | 86    |
| SCHAEFF      | HR 32             | 6106       | 450       | 71        | 86    |
| SCHAEFF      | HR 32Cl           | 6106       | 450       | 71        | 86    |
| SCHAEFF      | HR 3,7            | 4620       | 300       | 52,5      | 86    |
| SCHAEFF      | HR 02, 3-type     | 3240       | 250       | 72        | 45    |
| SCHAEFF      | HR 2, 1-type      | 3240       | 250       | 72        | 45    |
| SCHAEFF      | HR 1,1            | 3168       | 230       | 48        | 66    |
| SCHAEFF      | HR 1,6            | 3168       | 230       | 48        | 66    |
| SMC          | MX-80             | 7728       | 6106      | 450       | 71    |
| SMC          | MX-80             | 6106       | 450       | 71        | 86    |
| SMC          | MX-35             | 4510       | 300       | 52.5      | 84    |
| STRECK       | Carrier           | 4104       | 250       | 72        | 57    |
| SUMITOMO     | 140               | 7728       | 500       | 92        | 84    |
| SUMITOMO     | JS 70, 1-type     | 5822       | 450       | 81,5      | 76    |
| SUMITOMO     | JS 70, 2-type     | 5822       | 450       | 71        | 82    |
| SUMITOMO     | JS 70, 3-type     | 5822       | 450       | 73,5      | 80    |
| SUMITOMO     | LS 1600FJ, 1-type | 5822       | 450       | 142       | 41    |
| SUMITOMO     | LS 1600FJ, 2-type | 5822       | 450       | 71        | 82    |
| SUMITOMO     | LS 160, 1-type    | 5822       | 450       | 142       | 41    |
| SUMITOMO     | LS 160, 2-type    | 5822       | 450       | 71        | 82    |
| SUMITOMO     | S 160F2U          | 5822       | 450       | 73.5      | 80    |
| SUMITOMO     | S 160FJ2, 1-type  | 5822       | 450       | 73.5      | 80    |
| SUMITOMO     | S 160FJ2, 2-type  | 5822       | 450       | 71        | 82    |
| SUMITOMO     | SH 60             | 5822       | 450       | 73.5      | 80    |
| SUMITOMO     | SH 60-2           | 5822       | 450       | 73.5      | 80    |
| SUMITOMO     | SH 65UJ           | 5822       | 450       | 71        | 82    |
| SUMITOMO     | 9003, 1-type      | 5822       | 450       | 73,5      | 80    |
| SUMITOMO     | 9003, 2-type      | 5822       | 450       | 71        | 82    |

| Manufacturer | Model           | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|-----------------|------------|-----------|-----------|-------|
| SUMITOMO     | SH 65U-2        | 5680       | 450       | 73        | 78    |
| SUMITOMO     | LS 800FXJ2      | 3990       | 300       | 52.5      | 76    |
| SUMITOMO     | LS 800FXJ3      | 3990       | 300       | 52.5      | 76    |
| SUMITOMO     | SH 25JX         | 3990       | 300       | 52.5      | 76    |
| SUMITOMO     | SH 28J          | 3990       | 300       | 52.5      | 76    |
| SUMITOMO     | LS 850UXJ       | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | LS 850UXJ2      | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | LS 900FXJ2      | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | LS 900FXJ3      | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 30J          | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 30 UJ        | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 30 UJ-3      | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 30UJ2        | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 32J          | 4200       | 300       | 52.5      | 80    |
| SUMITOMO     | SH 35 UJ        | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 35J          | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 35JX         | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 35JX2        | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 38UJ         | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 38UJ2        | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 40UJ-2       | 4725       | 300       | 52.5      | 90    |
| SUMITOMO     | SH 18UJ         | 3840       | 250       | 96        | 40    |
| SUMITOMO     | SH 18UJ 2       | 3840       | 250       | 96        | 40    |
| SUMITOMO     | SH 18J          | 3360       | 230       | 96        | 35    |
| TADANO       | AC-45SG         | 3744       | 200       | 72        | 42    |
| TAKEUCHI     | TB 1135         | 7728       | 500       | 92        | 84    |
| TAKEUCHI     | TB 1140         | 7728       | 500       | 92        | 84    |
| TAKEUCHI     | TB 1140         | 7728       | 500       | 92        | 84    |
| TAKEUCHI     | TB 070          | 6156       | 450       | 81        | 76    |
| TAKEUCHI     | TB 175          | 6156       | 450       | 81        | 76    |
| TAKEUCHI     | TB 80           | 6156       | 450       | 81        | 76    |
| TAKEUCHI     | TB 80 FR        | 6156       | 450       | 81        | 76    |
| TAKEUCHI     | TB 068, 1-type  | 5680       | 450       | 145       | 39    |
| TAKEUCHI     | TB 058, 2-type  | 5680       | 450       | 71        | 80    |
| TAKEUCHI     | TB 68           | 5680       | 450       | 145       | 39    |
| TAKEUCHI     | TB 68 S, 1-type | 5680       | 450       | 145       | 39    |
| TAKEUCHI     | TB 68 S, 2-type | 5680       | 450       | 71        | 80    |
| TAKEUCHI     | TB 045, 1-type  | 5365       | 400       | 144       | 37    |
| TAKEUCHI     | TB 045, 2-type  | 5365       | 400       | 72,5      | 74    |

| Manufacturer | Model            | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|------------------|------------|-----------|-----------|-------|
| TAKEUCHI     | TB 145           | 5365       | 400       | 72.5      | 74    |
| TAKEUCHI     | TB 53 FR         | 5365       | 400       | 72.5      | 74    |
| TAKEUCHI     | TB 15 FR         | 3360       | 230       | 48        | 70    |
| TAM          | SC 156 DC/DD     | 2040       | 180       | 60        | 34    |
| TEKNA        | K28S             | 3990       | 300       | 52.5      | 76    |
| TEKNA        | K35S             | 4200       | 300       | 52.5      | 80    |
| TEUPEN       | hyLift, 2-type   | 4104       | 250       | 72        | 57    |
| TEUPEN       | Leo 30           | 4104       | 250       | 72        | 57    |
| TEUPEN       | Leo 36           | 4104       | 250       | 72        | 57    |
| THOMAS       | T-45S, 1-type    | 4510       | 300       | 52,5      | 84    |
| THOMAS       | PT 15, 2-type    | 3168       | 230       | 48        | 66    |
| VOLVO        | EC 60            | 5680       | 450       | 71        | 80    |
| VOLVO        | EC 70            | 5680       | 450       | 71        | 80    |
| VOLVO        | EC 70 VV         | 5680       | 450       | 71        | 80    |
| VOLVO        | EC 45            |            | 400       | 72.5      | 68    |
| VOLVO        | EC 45 PRO        |            | 400       | 72.5      | 68    |
| VOLVO        | EC 20            | 3456       | 230       | 96        | 36    |
| VOLVO        | EC 20 (bi-speed) | 3456       | 250       | 96        | 36    |
| VOLVO        | EC 20B           | 3456       | 250       | 96        | 36    |
| VOLVO        | EC 20T           | 3456       | 250       | 96        | 36    |
| YAMAGUCHI    | WB 1200-1300     | 3744       | 280       | 72        | 52    |
| YAMAGUCHI    | WB 1300-3        | 3744       | 280       | 72        | 52    |
| YAMAGUCHI    | WB 1500-3        | 3744       | 280       | 72        | 52    |
| YAMAGUCHI    | WB 12 H, 2-type  | 4104       | 250       | 72        | 57    |
| YAMAGUCHI    | WB 12 H, 1-type  | 3744       | 250       | 72        | 50    |
| YAMAGUCHI    | Carrier          | 2040       | 180       | 60        | 34    |
| YAMAGUCHI    | WB 350FB         | 2040       | 180       | 60        | 34    |
| YAMAGUCHI    | WB 350SF         | 2040       | 180       | 60        | 34    |
| YAMAHA       |                  | 2040       | 180       | 60        | 34    |
| YANMAR       | B 3U             | 4200       | 300       | 52.5      | 80    |
| YANMAR       | C 10 R           | 3744       | 250       | 72        | 50    |
| YANMAR       | C 10 R-1         | 3744       | 250       | 72        | 50    |
| YANMAR       | C 12 R           | 3744       | 250       | 72        | 50    |
| YANMAR       | C 12 R-1         | 3744       | 250       | 72        | 50    |
| YANMAR       | C 8 R            | 3744       | 250       | 72        | 50    |
| YANMAR       | C 8 R/5D-1       | 3744       | 250       | 72        | 50    |
| YANMAR       | CD 7CDA          | 3744       | 250       | 72        | 50    |
| YANMAR       | CR 10            | 3744       | 250       | 72        | 50    |
| YANMAR       | YFW 5D-1, 1-type | 3744       | 250       | 72        | 50    |

| Manufacturer | Model          | Length(mm) | Width(mm) | Pitch(mm) | Links |
|--------------|----------------|------------|-----------|-----------|-------|
| YANMAR       | B 158, 1-type  | 2952       | 230       | 72        | 41    |
| YANMAR       | C 06 R/6R      | 2952       | 230       | 72        | 41    |
| YANMAR       | C 6 R          | 2952       | 230       | 72        | 41    |
| YANMAR       | B 12           | 3384       | 200       | 72        | 47    |
| YANMAR       | B 12-3 SV13    | 3384       | 200       | 72        | 47    |
| YANMAR       | B 15-3 (2002)  | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15-3CR       | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15-3EX       | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15-3PR       | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15-3R2       | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15-8         | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15CR         | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15EX         | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15MC         | 3384       | 230       | 72        | 47    |
| YANMAR       | B 15V, 1-type  | 3384       | 230       | 72        | 47    |
| YANMAR       | B 17-3         | 3384       | 230       | 72        | 47    |
| YANMAR       | B 17-3 EX      | 3384       | 230       | 72        | 47    |
| YANMAR       | B 17-3 R2      | 3384       | 230       | 72        | 47    |
| YANMAR       | B 18 EX        | 3384       | 230       | 72        | 47    |
| YANMAR       | VIO 15, 2-type | 3384       | 230       | 72        | 47    |
| YANMAR       | VIO 15-2       | 3384       | 230       | 72        | 47    |
| YANMAR       | 5 D-1          | 3600       | 230       | 72        | 50    |
| YANMAR       | 8 R            | 3600       | 230       | 72        | 50    |
| YANMAR       | YFW 8 R        | 3600       | 230       | 72        | 50    |
| YANMAR       | MCG90          | 2040       | 160       | 60        | 34    |
| YANMAR       | MCG91          | 2040       | 160       | 60        | 34    |
| YANMAR       | MCG900 DS      | 2040       | 160       | 60        | 34    |
| YGRY         | SA 170         | 3384       | 250       | 72        | 47    |
| YUCHAI       | WY 135         | 7728       | 500       | 92        | 84    |
| YUCHAI       | WY 3.5         | 4510       | 300       | 55        | 82    |